

SPECIFICATIONS

SPECIFICATION	JIV3			
	LC79 4.0 Petrol Double Cab	LC79 4.2 Diesel Double Cab	LC79 4.5 V8 Diesel Double Cab	LC79 2.8 GD-6 Double Cab
Engine and Drivetrain				
Engine capacity (litre)	4.0	4.2	4.5	2.8
Displacement (cm³)	3956	4164	4461	2755
Bore x Stroke (mm)	94.0 x 95.0	94.0 x 100.0	86.0 x 96.0	92.0 x 103.6
Compression Ratio	10.0:1	22.4:1	16.8:1	15.6:1
Differential Gear Ratio	4.100	4.100	3.909	4.300
Differential Lock	Front and Rear	Front and Rear	Front and Rear	Front and Rear
Emission Control	Euro 2	Euro 2	Euro 4 - With OBD	Euro 2
Engine Monitor Warning	•		•	•
Fuel System	Petrol - EFI	Diesel	Diesel - Common Rail	Diesel - Common Rail
Fuel Consumption (Combined	14.4	12.2	11.9	9.7
Cycle) (ℓ/100km)	7.47	720	717	254
CO2 (g/km)	343	320	313	254
Maximum Power (kW @ r/min)	170 @ 5200	96@3800	151 @ 3400	150 @ 3000-3400
Maximum Torque (Nm @ r/min)	360 @ 3800	285 @ 2200	430 @ 1200-3200	500 @ 1600-2800
Number of Cylinders and Arrangement	V-Type-6	Inline-6	V-Type-8	Inline-4
Reverse Gear ratio	4.313	4.220	4.313	3.732
Stabiliser	Front Only	Front Only	Front Only	Front Only
Suspension (Rear)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)	Rigid Axle (Leaf)
Transmission	Manual-5-speed	Manual-5-speed	Manual-5-speed	Automatic-6-speed
Turbo Charger	i ianuai 3-speed	i iaiiaai 3-speed	rianuai J-speeu	natomatic-o-speed
Suspension (Front)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)	Rigid Axle (Coil)
	Migra Anie (COII)	inigia mile (COII)	Mylu Anie (CUII)	rigia mie (COII)
Wheels and Tyres	E 11 205 70045 411	E 11 205 70045 411	E 11 205 70045 411	E 11 205 70040 411
Spare Tyre	Full-265-70R16 Alloy	Full-265-70R16 Alloy	Full-265-70R16 Alloy	Full-265-70R16 Alloy
Spare Wheel Carrier	Load Box	Load Box	Load Box	Load Box
Wheel and Tyre	F: 265-70R16 Alloy / R: 265-70R16 Alloy	F: 265-70R16 Alloy / R: 265-70R16 Alloy	F: 265-70R16 Alloy / R: 265-70R16 Alloy	F: 265-70R16 Alloy / R: 265-70R16 Alloy
Rody and Styling	200 / SKI O / MOY	200 / OKTO/ MOY	200 / OKTO / MIOY	200 / OKTO / HOY
Body and Styling				
Snorkel			•	
Antenna	•	•	•	·
Body Colour	Monotone	Monotone	Monotone	Monotone
Engine Under Cover & Protector Front Bumper	Black	• Black	Black + Plated	Black
Front Fog Lamps	LED	LED	LED	LED
Windshield Glass	Laminated, Green, Shade Band	Laminated, Green, Shade Band		Laminated, Green
Grade Mark	Euminated, Green, Shade Bana	Earmatea, Green, Shade Bana	LX	Edillidea, Green
Mud Guards	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Side Step	Aluminium	Aluminium	Aluminium	Aluminium
Headlights	Halogen	Halogen	Halogen	Halogen
Side Mirrors	Black	Black	Black	Black
Over-Fenders	•	•	•	•
Front Grille	Material	Material	Material	Material
Tow Hook	2	2	2	2
Front Window Wiper	Intermittent	Intermittent	Intermittent	Intermittent
Loadbox	•	•	•	•
Interior, Comfort and Conveni	ence			
4WD Selector	Lever	Lever	Lever	Lever
Cupholders	•	•	•	•
Door Pockets			Front	Front
Floor Carpet Trim	PVC	PVC	Carpet	PVC
Front Headrest	Adjustable, 2	Adjustable, 2	Adjustable, 2	Adjustable, 2
Glove Box	Lockable	Lockable	Lockable	Lockable
Rear View Mirror	Day & Night	Day & Night	Day & Night	Day & Night
Rear Headrests	Adjustable, 2	Adjustable, 2	Adjustable, 2	Adjustable, 2
Seat Trim	Fabric	Fabric	Fabric	Fabric
Shift Lever & Knob	Urethane	Urethane	Urethane	Urethane
Speedometer	Analog	Analog	Analog	Analog
Steering Wheel	4 Spoke / Urethane	4 Spoke / Urethane	4 Spoke / Leather + Wood	4 Spoke / Leather + Wood
Airconditioner	Manual	Manual	Manual	Manual
Audio System	Toyota / Display Audio	Toyota / Display Audio	Toyota / Display Audio	Toyota / Display Audio
Bluetooth	Manual	Manual	Manual	Manual
Heater	Manual	Manual	Manual	Manual
Navigation System Power Socket	Front - 12V	Front - 12V	Front - 12V	Front - 12V
Power Socket Power Steering	Hydraulic	Hydraulic	Hydraulic	Hydraulic
Electric Windows	All / One Touch Driver Only	All / One Touch Driver Only	All / One Touch Driver Only	All / One Touch Driver Only
Speakers	2	2	2	2
	Manual / Tilt & Telescopic,	Manual / Tilt & Telescopic,	Manual / Tilt & Telescopic,	Manual / Tilt & Telescopic,
Steering Column Adjustments	Collapsible	Collapsible	Collapsible	Collapsible
USB	1	1	3	1
Toyota Connect Enabled	•	•	•	•
Seat Back Pockets	Driver and Passenger	Driver and Passenger	Driver and Passenger	Driver and Passenger
Centre Console	Rear	Rear	Rear	Front, Rear
- The think the second	The state of the s	THE RESERVE OF THE PARTY OF THE	THE PARTY OF THE P	

	LC70 4 0 Patral Dauble Cab	LC70 4 2 Diesel Double Cab	LC70 4 E VO Diegel Develle Cab	LC79 2.8 GD-6 Double Cab
	LC79 4.0 Petrol Double Cab	LC79 4.2 Diesel Double Cab	LC79 4.5 V8 Diesel Double Cab	LC79 2.8 GD-6 Double Cab
Safety and Security				
Anti-Theft System	Siren / Alarm + Immobiliser	Siren / Alarm + Immobiliser	Siren / Alarm + Immobiliser	Siren / Alarm + Immobiliser
Centre Rear Seatbelt	Lap	Lap	Lap	Lap
Child Lock	•	•	•	•
Front Airbag(s)	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger
Power Door Lock	•	•	•	
Rear Seat Belts	ELR	ELR	ELR	ELR
Spare Wheel Anti-Theft Lock	•	•	•	•
Wireless Door Lock	Remote	Remote	Remote	Remote
Driver Support Systems				
Anti-Lock Braking System (ABS)		•	•	·
Brake Assist (BA)				
Electronic Brake Force				-
Distribution (EBD)				
Hill Assist Control (HAC)				
Traction Control (TRC)				Active Traction Control (ATRC)
Vehicle Stability Control (VSC)				
Downhill Assist Control (DAC)				
Service and Warranty				
Service Plan	Optional	Optional	Optional	Optional
Service Interval	12 months / 10 000km	12 months / 5 000km	12 months / 10 000km	12 months / 10 000km
Warranty	3 years / 100 000km	3 years / 100 000km	3 years / 100 000km	3 years / 100 000km
Dimensions and Capacities	3	,		,
Approach Angle (°)	33.0	33.0	33.0	33.0
Departure Angle (°)	27.0	27.0	27.0	27.0
Front Overhang (mm)	850	850	860	850
Front Tread (mm)	1555	1555	1555	1555
Fuel Tank Size (£)	130	130	130	130
Gross Combination Mass (GCM)	4700	4700	6800	6800
Ground Clearance (mm)	235	235	235	235
Gross Vehicle Mass (GVM)	3200	3200	3300	3300
Height (mm)	1945	1945	1945	1945
Interior Height (mm)	1225	1225	1225	1225
Interior Length (mm)	1660	1660	1660	1660
Interior Width (mm)	1515	1515	1515	1515
Kerb Weight (kg)	2165	2225	2315	2245
Length (mm)	5235	5235	5245	5235
Rear Overhang (mm)	1205	1205	1205	1205
Rear Tread (mm)	1460	1460	1460	1460
Towing Capacity - Unbraked (kg)	750	750	750	750
Towing Capacity - Braked (kg)	1500	1500	3500	3500
Turning circle (tyres, m)	7.2	7.2	7.2	7.2
Wheelbase (mm)	3180	3180	3180	3180
Width (mm)	1870	1870	1870	1870
Top Speed (km/h)	165	140	160	150

COLOUR SELECTOR







Metallic 1F7



Metallic 1G3*

Ruby Metallic 3Q3*

Sand Beige 4E9



*Customer Order Only



There is no 'one-size-fits-all' when it comes to vehicle finance and insurance, there is only you. With fast, flexible and convenient services we will structure the perfect Land Cruiser deal for you. At Toyota Financial Services, we believe that purchasing your Toyota should be as enjoyable as driving it. Toyota Financial Services is the fast, flexible and convenient means of financing your Land Cruiser. We have created a range of financial products that suit both private and business customers, easily accessible through your local Toyota dealer. We take the hassle out of arranging finance. Toyota Financial Services (South Africa) Ltd is an authorised Financial Services (FSP No. 7454) and Registered Credit Provider (NCRCP62). For comprehensive information about products offered by Toyota Financial Services, visit www.toyota.co.za/toyota-finance

DISCLAIMER:
The information contained in this leaflet is provided as is and any warranties of any kind, whether expressed or implied, including but not limited to, implied warranties of satisfactory quality, fitness for a particular purpose and/or correctness. The contents of this leaflet are for general information purposes only and do not constitute advice. Toyota Motor Corporation of Japan and Toyota South Africa Motors (Pty) Limited does not represent or warrant that the information and/or specifications contained in this leaflet are accurate, complete or current and specifically stipulates that certain vehicle details and specifications contained in this leaflet may differ in available models. Therefore, neither Toyota Motor Corporation of Japan nor Toyota South Africa Motors (Pty) Limited make any warranties or representations regarding the use of the content, details, specifications, or information contained in this leaflet in terms of their correctness, accuracy, adequacy, usefulness, timeliness, reliability or otherwise, in each case to the fullest extent permitted by law. Please note that claiming of input VAT needs to be verified by customers prior to vehicle purchase as these rulings are subject to SARS interpretation. Toyota South Africa Motors' rights remain reserved.

